

CE Approved Marco Vehicle Carrier Car Scissor Lift Table for Versatile Workshop Crane

Basic Information

• Certification: CE



Product Specification

Model NO.:
 E. G.: M4-020350-D2

Feature: InsulatingTransport Package: Wooden Pallet

Specification: CETrademark: Marco

Origin: Ningbo, ChinaHS Code: 8428909090

Application: Workshop Crane, Shipboard Crane,

Warehouse Crane

Lift Mechanism: Scissor Lift
Carrying Capacity: Weight Level
Moves: Stationary
Driven Type: Hydraulic
Running Mode: Stationary

Customization: Available | Customized Request

Product Description

MarcoLift vehicle carrier is designed to transport vehicles between different building floor levels, e.g. retail premises, show-rooms and car parks.

This car lift is intended for the transport of vehicles and not of persons.

MarcoLift vehicle carrier can only be utilised with equally distributed loads and not as a conventional lifting table.

Particular training for lift operation and use is required.

Installation is performed according to the current ruling safety directions.

Main Specification:

1.Standard Options

Pump: Europe brand

Control box- dead man control with up/down/E-stop

Cylinder: Marco designing, OEM made, including rupture valve, damping action and pilot valve

Sealing kit for cylinder: SKF brand

Motor: Hoyer motor, protection IP55

Scissor arm: Q345B

Hydraulic hose/fitting: Eaton

Paint: Finland brand - Tikkurila

2.Options extra:Depends on your require

- 1. For all your inquires about us , we will reply you in detail within 24 hours
- 2. We own well-tranied and passional sales and after- sale services who can speak fluent Engligh language
- 3. We can provide customise solutions to particular requirements

Packaging & Shipping:

Main Loading Port: ShangHai or Ningbo

Production Delivery: 6-8 weeks (public holiday excluded)

Hot sales for Marco Car lift with CE approved:

Art.No.	Туре	Capacity (kg)	Platform (L*W)	(mm)	Own Height (mm)	Lift time (s)	Motor (kw)	Weight (kg)
860400	M4-020350-D2	2000	5000*250 0		450	45	4.6	2020
860401	M5-025400-D2	2500	6000*250 0		650	68	4.6	2500
860402	M5-025450-D2	2500	6100*250 0) ₄₅₀₀	650	87	4.6	2710
860403	M6-025500-D2	2500	7500*250 0) 5000	750	98	2*4.6	3950
860407	M6-035350-D2	3500	5000*250 0) 3500	750	51	2*4.7	4215
860408	M6-035400-D2	3500	6000*250 0	4000	750	58	2*4.8	4800
860404	M5-020500- D4/2H	2000	5000*250 0) 5000	1200	67	2*4.9	4500
860405	M6-025600- D4/2H	2500	5000*250 0	6000	1400	85	2*4.10	6300
860406	M6-020700- D4/2H	2000	5700*250 0	7000	1400	85	2*4.11	7200
860409	M6-035500- D2/2H	3500	5000*250 0		1400	62	2*4.12	7500
8604010	M6.5-035700- D2/2H	3500	6000*250 0	7000	1400	82	2*4.13	8200











Room 502.Dongbao Building,No.19 Dongbao Road,Chaoyang,Beijing 201613,China