

4-6 Ton Marco Loading Dock Scissor Lift Table with CE Approved Customizable Options

Basic Information

Certification: CE



Product Specification

Model NO.:
 E. G.: M3.5-040130-D2K

Feature: InsulatingTransport Package: Wooden Pallet

Specification: CETrademark: Marco

Origin: Ningbo, ChinaHS Code: 8428909090

 Application: Workshop Crane, Shipboard Crane, Warehouse Crane, Building Crane

Lift Mechanism: Scissor Lift
Carrying Capacity: Weight Level
Moves: Stationary
Driven Type: Hydraulic
Running Mode: Stationary

Customization: Available | Customized Request

Product Description

Marco loading dock is used on loading docks for the unloading and loading of vehicles.

Marco loading dock operates between the different levels of the vehicle and the loading dock.

It is designed for use in extremely difficult environmental and operational conditions and can also be provided for external use

Marco loading dock are designed and equipped to withstand environmental and load stresses which frequently occur as point loads when vehicles cross the lift table.

As standard the loading dock tables are equipped with following:

platform in chequer plate
oilfilled minus side of the cylinders
reinforced platform with more profiles
service access hatch in platform
adjustable bottom stops for greater stability in lowered position
lifting lugs

two component paint finish to 120 my thickness

Main Specification: 1.Standard Options

Pump: Europe brand

Control box- dead man control with up/down/E-stop

Cylinder: Marco designing, OEM made, including rupture valve, damping action and pilot valve

Sealing kit for cylinder: SKF brand

Motor: Hoyer motor, protection IP55

Scissor arm: Q345B

Hydraulic hose/fitting: Eaton

Paint: Finland brand - Tikkurila

2.Options extra:Depends on your require

Our Services:

- 1. For all your inquires about us , we will reply you in detail within 24 hours
- 2. We own well-tranied and passional sales and after- sale services who can speak fluent Engligh language
- 3. We can provide customise solutions to particular requirements

Packaging & Shipping:

Main Loading Port: ShangHai or Ningbo

Production Delivery: 6-8 weeks (public holiday excluded)

Hot sales for 4-6 Ton Marco loading dock table with CE approved:

Art.No.	Туре	Capacity (kg)	Platform (L*W)	Lift Height (mm)	Own Height (mm)	Lift time (s)	Motor (kw)	Weight (kg)
860339	M3.5-040130- D2K	4000	2000*150 0	1300	305	27	2.2	755
860340	M3.5-040130- D3K	4000	2000*200 0		305	27	2.2	875
860367	M4-040160-D2K	4000	2500*150 0		450	26	4.6	1175
860342	M4-040160-D2K	4000	2500*200 0		450	26	4.6	1320
860343	M4-040160-D2K	4000	2500*240 0		450	26	4.6	1510
860344	M4-040160-D2K	4000	3000*200 0		450	25	4.6	1440
860346	M4-040160-D2K	4000	3000*240 0		450	25	4.6	1610
860347	M4-040130-D2K	6000	2250*150 0		450	26	4.6	1080
860348	M4-040130-D2K	6000	2250*200 0		450	26	4.6	1250
860349	M4.5-060130- D2K	6000	2500*150 0		450	32	4.6	1265
860352	M4.5-060130- D2K	6000	2500*200 0		450	32	4.6	1450
860353	M4.5-060130- D2K	6000	2500*240 0	1600	450	32	4.6	1620

860350	M4.5-060130- D2K	6000	3000*200 0	450	32	4.6	1570
860362	M4.5-060130- D2K	6000	3000*240 0	450	32	4.6	1730

VIKING Changsha Ecer Excellent Platform 33 Company Name(Test)

+8618812345691

Yuiosdfed@maoyt.com



styluspenforipad.com

Room 502.Dongbao Building,No.19 Dongbao Road,Chaoyang,Beijing 201613,China